

ALPHA PHARMA HEALTHCARE PVT. LTD.

QUALITY CONTROL DEPARTMENT CERTIFICATE OF ANALYSIS				
Batch No.	TCX-1301	AR.No.	FP/13/059	
Mfg Date	02/2013	Qty Received	2x10x 1 ml	
Exp. Date	01/2016	Qty sampled/ by	DK/ 20	
Manufacturer	Alpha pharma	Date of passing	04.06.2013	

TESTS	OBSERVATIONS	SPECIFICATIONS	
Appearance	A clear pale yellow oily liquid	A clear pale yellow oily liquid	
Identification	Complies	By TLC	
Extractable volume	1.04 ml	NLT 1.0 ml	
Particulate matter	The solution is clear and free	The solution is clear and free	
	from visible particles.	from visible particles.	
Assay:			
Each 1 ml contains	* Testosterone cypionate		
Testosterone	251.08 mg	NLT 90% and NMT 110% of	
cypionate 250mg	(i.e. 100.43 % of the labeled	the labeled amount	
	amount)		
	2 2 3 2 2		

Remarks: The sample complies/does not comply as per in house specs

* As per Ana lab testing Lab Report No. 13/4244 dated 04.06.2013

Analyst Sign and Date:

Checked by:

(F-QA-050, Rev.00)